

# INDEX MAPS.

## T. 5 N., R. 1 E., 2<sup>nd</sup> Mer.

	128		128		128-129		127-129		127-129		127-129	
131	6	149	5	146	4	142	3	138	2	135	1	126
	150		149		145		142		138		134	
131	7	149	8	145	9	142	10	138	11	134	12	126
	150		148		145		141		137		134	
131	18	148	17	144	16	141	15	137	14	133	13	126
	150		148		144		140		137		133	
130	19	147	20	144	21	140	22	136	23	133	24	126
	151		147		143		140		136		132	
130	30	147	29	143	28	139	27	136	26	132	25	125
	151		146		143		139		135		132	
129	31	146	32	143	33	138	34	135	35	131	36	125
	123-124		123-124		123-124		123-124		123-125		123-125	

## T. 6 N., R. 1 E., 2<sup>nd</sup> Mer.

	159	158	158	158	157	157						
161	6	179	5	175	4	172	3	168	2	165	1	157
	180	179	175	172	168	164						
160	7	179	8	175	9	171	10	168	11	164	12	156
	180	178	174	171	167	164						
160	18	178	17	174	16	171	15	167	14	163	13	156
	180	177	174	170	167	163						
160	19	177	20	174	21	170	22	166	23	163	24	156
	181	177	173	169	166	162						
160	30	176	29	173	28	169	27	166	26	162	25	155
	181	176	173	169	165	162						
159	31	176	32	172	33	169	34	165	35	161	36	155
	153-154	153-154	153-154	153-154	153-154	153-155						

The figures on the lines refer to the page.

123

Township N. 5 North, Range N. 1 East 2<sup>d</sup> Mer. Indianan

### South Boundary

West 1<sup>st</sup> Mile <sup>on Random</sup> between Towns 4 & 5 N. R 1 E. 2<sup>d</sup> Mer.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Mile post.

Land level rich, timber Poplar Beech

---

West 2<sup>d</sup> Mile On Random betw<sup>n</sup>. Towns 4 & 5 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

78.26 a Brook 25 yds. wide C. S.

80.00 Set temp<sup>y</sup>. Mile post. Land broken, timber same

---

West 3<sup>d</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Mile post. Land &c. same

---

West 4<sup>th</sup> Mile On Random betw<sup>n</sup>. Towns 4 & 5 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

41.00 a Brook 50 yds. wide C. S.

54.50 Same 50 " " " N. W.

55.50 Same 50 " " " South

80.00 Set temp<sup>y</sup>. Mile post

Land level timber, Beech, Sugar, Ash &c.

---

West 5<sup>th</sup> Mile On Rand<sup>m</sup>. between Towns 4 & 5 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Mile post.

Land rich & rolling, timber same underg<sup>d</sup>. Spruce

---

West 6<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R 1 E.

4.50 a Spring C. S.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

85.00 a Brook 20 yds. wide C. S. & W.

93.50 Same 20 " " " N. W.

T5 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

96.17 Intersected the 2<sup>nd</sup>. Meridian South of the Town Corner. Land, timber &c, same.

East On S. boundy. of Sec. 31, T5 N. R1 E. var. 6.10 E.

56.17 Set the q. Sec. post on true line, from which  
a W. Oak 20 in. dia. bear S 8 W 25 lks. dist. of  
a Beech 8 " " " N 6 W 28 " "

96.17 Set a post Cor. to Sec. 31 & 32, from which  
a W. Oak 10 in. dia. bear S 70 E 20 lks. dist. of  
a Sugar 10 " " " N 62 W 21 " "

East On S. boundy. of Sec. 32, T5 N. R1 E. 2<sup>nd</sup>. Mer.

40.00 Set the q. Sec. post on true line, from which  
a Dogwood 6 in. dia. bear N 56 E 15 lks. dist. of  
a Beech 24 " " " S 73 W 17 " "

80.00 Set a post on true line Cor. to Sec. 32 & 33, from which  
a Hackberry 8 in. dia. bear N 54 W 23 lks. dist. of  
a Beech 10 " " " S 34 W 16 " "

East On S. boundy. of Sec. 33, T5 N. R1 E.

40.00 Set the q. Sec. post, on true line, from which  
a Beech 12 in. dia. bear N 60 E 29 lks. dist. of  
an Ironw. 8 " " " N 78 W 25 " "

80.00 Set a post on true line, Cor. to Sec. 33 & 34, from which  
a Sugar 10 in. dia. bear N 71 E 8 lks. dist. of  
a Buckeye 10 " " " S 62 W 14 " "

East On S. boundy. of Sec. 34, Town 5 N. R1 E.

40.00 Set the q. Sec. post, on true line, from which  
a Sugar 6 in. dia. bear N 87 E 10 lks. dist. of  
a Beech 24 " " " S 60 W 5 " "

80.00 Set a post Cor. to Sec. 34 & 35 on true line, from which  
a Sugar 20 in. dia. bear N 52 E 15 lks. dist. of

T5N - R1E 2<sup>nd</sup> Mer. Indiana

on Ironwood 8 in. dia. bear N 27 E 18 lks. dist. &

East On S. boundary of Sec. 35, Town 5 N. R1E.  
 40.00 At the q. Sec. post on true line, from which  
 a Beech 18 in. dia. bear N 48 E 8 lks. dist. &  
 a Do 24 " " " S 36 W 30 " "

80.00 At a post on true line Cor. to Sec. 35 & 36, from which  
 a Sugar 12 in. dia. bear N 19 E 7 lks. dist. &  
 a Beech 6 " " " S 82 E 14 " "

East On S. boundy. of Sec. 36, Town 5 N. R1E.  
 40.00 At the q. Sec. post on true line, from which  
 a Beech 6 in. dia. bear N 38 W 7 lks. dist. &  
 a Do 10 " " " S 75 W 18 " "  
 80.00 to Town Corner.

East Boundary var. 7° 30' E  
 North On E. boundary of Sec. 36, T5N. R1E.  
 30.50 a Brook 10 lks. wide C. W.  
 40.00 At the q. Sec. post, from which  
 a Beech 6 in. dia. bear N 79 W 6 lks. dist. &  
 a Do 5 " " " N 21 E 13 " "  
 77.00 a Brook 10 lks. wide C. W.  
 80.00 At a post Cor. to Sec. 25 & 36, from which  
 a Beech 20 in. dia. bear S 50 W 25 lks. dist. &  
 a Sugar 10 " " " N 53 E 26 " "  
 Over hilly rich land, timber Beech, Sugar, Poplar &c.

North On E. boundy. of Sec. 25, T5N. R1E.  
 37.70 a Poplar 30 in. dia.  
 40.00 At the q. Sec. post, from which  
 an Ash 12 in. dia. bear S 77 W 8 lks. dist. &  
 a Sugar 8 " " " N 6 W 23 " "



5 N. C. E. 2<sup>nd</sup>, Mer. Indiana

46.70 a Duck 20 mi. dist. from

60.20 a Spring run 10 lbs. wide. C.L. M.

65.20 a Brook 12 " " " Nest

80.00 Set a post Cor. to Sec. 24 & 25, from which  
a Beech 20 m. diam. bray S 42 E 19 lbs. dist. of  
a Sugar 6 " " " S 47 W 28 " "  
Land timber &c. same as on the last mile

North On E. boundy. of Sec. 24, T5 N. R1 E.

36.00 a Brook 12 ft. wide Q. W.

40.00 Let the gr. Sec. post, from which

a Walnut 6 in. diam. long 110 E 20 lbs. dist. 6

at Beech 8 " " " N 10 W 15 " "

80.00 At a post Cor. to Sec. 1, 3 & 24, from which

a Dogwood 7 m. diam. bearing 141 E V. ltr. dist. 4

a Buck 6 " " " N20W8 " "

Sand timber, &c. same as on the last mile

North on the E. bound. of Sec. 13, T5. N. R. 1 E.

40.00 Let the q. Sec. post, from which

a Beech 6 in. dia<sup>r</sup>, bears 15 W. 11 Lk. dist. 5

a Dogwood 8 " " " N 35 E 25 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which

a Sông 20 m. dài. bằng 16 M 34 Ch. chít.

a. Buch 10 " " " N17E11 " "

Sand timber etc. Same as on the last mile

North On E. boundy. of Sec. 12, T5N-R1E.

40.00 Let the 95. See post, from which

a Beech 10 in. dia. bray 38 E 24 lbs. dist. X

a Ls 8 " " " Nov 15 " "

80.00 At a post Cor. to Sec. 14 12, from which

a Poplar Sav. diat. near N 70 E 3 lks. dist. S

# T5 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

a Poplar 10 in. dia. bears N 36 E 11 lbs. dist. of  
Land timber &c. same, as on the last mile

North On E. boundy. of Sec. 1, T5 N. R1 E.

40.00 Let the q. Sec. post, from which

a Beech 10 in. dia. bears N 57 W 17 lbs. dist. of

an Elm 12 " " " N 66 E 18 " "

55.00 a Brook 15 lbs. wide Course West.

80.00 Let a post Cor. to Town 5 & 6 N. Range 1 & 2  
E. 2<sup>nd</sup>. Mer. from which

a Beech 12 in. dia. bears N 50 W 7 lbs. dist. of

a Do 24 " " " N 16 E 26 " "

Good land timber, Ash, Walnut, Poplar &c. under-  
growth Spice wood & Leather wood.

## North Boundary

West 1<sup>st</sup> Mile On Random between Town 5 & 6 N. R1 E.

14.00 a Brook 12 lbs. wide C. S. W.

31.50 a Do 10 " " " South

40.00 Let temp. q. Sec. post

80.00 Let temp. Mile post.

Land rich, timber Beech, Sugar &c.

West 2<sup>nd</sup> Mile On Random between Town 5 & 6 N. R1 E.

40.00 Let temp. q. Sec. post.

80.00 Let temp. Mile post, Land, timber &c. same

West 3<sup>rd</sup> Mile On Random between Town 5 & 6 N. R1 E.

40.00 Let temp. q. Sec. post.

77.00 a Brook 25 lbs. wide C. S. S.

80.00 Let temp. Mile post

Land hilly, timber Beech, Sugar &c.

*T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana*

*West 4<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. R1 E.*

*40.00 Set temporary q<sup>r</sup>. Sec. post*

*74.00 a Brook 10 lks. wide C. S.*

*80.00 Set temporary mile post.*

*Land rich, good for farming timber same*

*West 5<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. R1 E.*

*40.00 Set temporary q<sup>r</sup>. Sec. post*

*80.00 Set temporary mile post*

*Land timber &c. same as on the last mile*

*West 6<sup>th</sup> Mile On Random betw<sup>n</sup>. Towns 5 & 6 N. R1 E.*

*40.00 Set temporary q<sup>r</sup>. Sec. post*

*83.00 a Brook 18 lks. wide C. S. & W.*

*86.12 Intersected the 2<sup>nd</sup> Meridian South of the Township Corner.*

*Good farming land, timber Ash, Poplar &c.*

*East On S. boundary of Sec. 31, T6 N. R1 E.*

*46.12 Set q<sup>r</sup>. Sec. post on true line, from which  
a Sugar 12 in. dia<sup>r</sup>. bear N58 E 40 lks. dist. of  
an Elm 12 " " " S2 E 16 " "*

*86.12 Set a post on true line Cor. to Sec. 31 & 32, from which  
a Sugar 10 in. dia<sup>r</sup>. bear N45 E 6 lks. dist. of  
a Do 9 " " " N54 W 9 " "*

*East On S. bound<sup>y</sup>. of Sec. 32, T6 N. R1 E. 2<sup>nd</sup> Mer.*

*40.00 Set the q<sup>r</sup>. Sec. post on true line, from which  
an Ash 18 in. dia<sup>r</sup>. bear N88 E 22 lks. dist. of  
a Do 20 " " " N74 W 12 " "*

*80.00 Set a post Cor. to Sec. 32 & 33, on true line, from which  
a Beech 8 in. dia<sup>r</sup>. bear S82 E 26 lks. dist. of  
a Do 12 " " " N46 W 24 " "*

T5 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

East On S. boundary of Sec. 33, T6 N. R1 E  
 40.00 Set the q. Sec. post on true line, from which  
 a Beech 8 in. dia. bear N 72 E 31 lks. dist. of  
 a Do 6 " " " S 26 W 7 " "  
 80.00 Set a post on true line, Cor. to Sec. 33 & 34, from which  
 a Sugar, 10 in. dia. bear S 67 E 33 lks. dist. of  
 a Do 12 " " " N 73 W 19 " "

East On S. boundy. of Sec. 34, T6 N. R1 E.  
 40.00 Set the q. Sec. post on true line (bearing defaced)  
 80.00 Set a post on true line Cor. to Sec. 34 & 35, from which  
 a Beech 20 in. dia. bear S 59 E 20 lks. dist. of  
 a Do 8 " " " S 81 W 18 " "

East On S. boundy. of Sec. 35, T6 N. R1 E.  
 40.00 Set the q. Sec. post, on true line, from which  
 a Beech 8 in. dia. bear S 64 W 19 lks. dist. of  
 a Poplar 8 " " " N 45 E 15 " "  
 80.00 Set a post on true line Cor. to Sec. 35 & 36, from  
 which a Sugar 12 in. dia. bear S 72 E 42 lks. dist. of  
 a Beech 20 " " " N 82 W 33 " "

East On S. boundary of Sec. 36, T6 N. R1 E.  
 40.00 Set the q. Sec. post, on true line, from which  
 a Sugar 12 in. dia. bear N 43 E 13 lks. dist. of  
 a Beech 24 " " " S 24 W 29 " "  
 80.00 to Township Corner.

West Boundary or 2<sup>nd</sup>. Meridian  
 North On E. boundary of Sec. 36, T5 N. R1 W.  
 4.50 a Brook 14 lks. wide Cr. W.  
 19.00 a Do 5 " " " S. W.  
 40.00 Set the q. Sec. post, from which



# T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana

a Beech 8 in. diam. bears S11 E 23 lks. dist. of  
 a Cherry 10 " " " N 33 W 16 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, T5 N. R1 W. from which  
 a Beech 24 in. diam. bears S 28 W 23 lks. dist. of  
 a Do 8 " " " N 35 E 8 " "  
 Sand level, timber Beech, Poplar &c.

---

North On E. boundy. of Sec. 25, T5 N. R1 W.

19.00 a Poplar 30 in. diam.

23.20 a Brook 10 lks. wide C.S. W.

40.00 Set the q. Sec. post, from which  
 a Beech 6 in. diam. bears S 9 W 21 lks. dist. of  
 a Do 20 " " " N 23 E 24 " "

68.50 a Brook 12 lks. wide C.S. W.

80.00 Set a post Cor. to Sec. 24 & 25, T5 N. R1 W. from which  
 a Beech 10 in. diam. bears N 19 W 24 lks. dist. of  
 a Do 8 " " " N 19 E 8 " "

Sand rolling, timber &c. Same as last mile

---

North On E. boundy. of Sec. 24, T5 N. R1 W

4.00 an Ash 20 in. diam.

15.25 a Brook 10 lks. wide C.S. W.

36.30 a Do 10 " " " W.

40.00 Set the q. Sec. post, from which  
 a Beech 20 in. diam. bears N 29 E 13 lks. dist. of  
 a Do 8 " " " S 7 W 28 " "

56.16 a Brook 10 lks. wide C.S. W.

61.80 a Same 10 " " " S. E.

68.00 Same 10 " " " S. W.

80.00 Set a post Cor. to Sec. 13 & 24, T5 N. R1 W. from which  
 a Beech 20 in. diam. bears S 34 W 14 lks. dist. of  
 a B. Oak 20 " " " S 63 W 11 " "

Sand timber &c. Same as on the last mile

---

T5 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundy. of Sec. 13, T5 N. R1 W.

40.00 At the q. Sec. post, from which

a W. Ash 12 m. dist. bear S64 E 7 lks. dist. to

a Beech 10 " " " N15 W 30 " "

80.00 At a post Cor. to Sec. 12 &amp; 13, T5 N. R1 W, from which

a Sugar 8 m. dist. bear S1 E 10 lks. dist. to

a Beech 10 " " " N34 E 20 " "

North On E. boundy. of Sec. 12, T5 N. R1 W.

40.00 At the q. Sec. post, from which

a Beech 10 m. dist. bear S20 E 7 lks. dist. to

a Do 10 " " " N10 W 4 " "

41.00 a W. Oak 24 " "

80.00 At a post Cor. to Sec. 11 & 12, T5 N. R1 W. 2<sup>d</sup>. Mer.

an Ironwood 6 m. dist. bear N79 W 9 lks. dist. to

a Do 6 " " " S25 E 13 " "

North On E. boundy. of Sec. 1, T5 N. R1 W.

00.50 a Brook 10 lks. wide C. S. W.

40.00 At the q. Sec. post, from which

a Beech 10 m. dist. bear N48 E 5 lks. dist. to

a Sugar 10 " " " N85 W 28 " "

78.00 a Brook 18 lks. wide C. S. W.

80.00 At a post Cor. to Township 5 &amp; 6, N. Range 1 E.

& 1 W. On 2<sup>d</sup>. Meridian, from which

an Ash 12 m. dist. bear N83 W 19 lks. dist. to

a Beech 20 " " " S7 E 16 " "

(Note the Description omitted on the last 3 miles)

Surveyed some time in 1811, by Arthur Munie, D.S.

## Subdivision

North Between Sec. 35 & 36, T5 N. R1 E. 2<sup>d</sup>. Mer.

30.00 a Brook 25 lks. ex. West

T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Logwood 5 in. dia. bears S 3 E 9 lks. dist. of  
 a Beech 9 " " " N 86 E 21 " "  
 80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which  
 an Elm 10 in. dia. bears N 40 W 11 lks. dist. of  
 a Beech 6 " " " S 36 W 18 " "  
 Over very hilly land, timber Beech, Sugar, Ash &c.

East On Random between Secs. 25 & 36, T5 N. R1 E.

- 40.00 Set temp. q. Sec. post  
 80.00 Intersected the N & S. line 20 lks. N. of the Cor.  
 Land timber &c. same as on the last mile

West On true line between Secs. 25 & 36, T5 N. R1 E.

- 40.00 Set q. Sec. post at av. dist. from which  
 a Walnut 20 in. dia. bears N 79 E 27 lks. dist. of  
 a Beech 10 " " " S 71 E 32 " "  
 80.00 to Section Corner.

North Between Secs. 25 & 26, T5 N. R1 E.

- 40.00 Set the q. Sec. post, from which  
 a Beech 15 in. dia. bears N 42 E 15 lks. dist. of  
 a Do 10 " " " S 57 E 20 " "  
 43.50 a Brook 10 lks. wide C. & W.  
 63.00 a Beech 20 in. dia.  
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which  
 a Beech 10 in. dia. bears N 34 W 16 lks. dist. of  
 a Sugar 5 " " " S 36 E 20 " "  
 Land timber &c. same as on the last mile

East On Random between Secs. 24 & 25, T5 N. R1 E.

- 40.00 Set temp. q. Sec. post  
 79.90 Intersected the N & S. line 12 lks. S. of the Cor.

T5 N. R1 E. 2<sup>d</sup>. Meridian Indiana

Land Timber &amp;c. Same as on the last mile

West Corrected between Sec. 24 & 25, T5 N. R1 E.  
 39.95 Set of Sec. post at av. dist. from which  
 a Sugar 6 in. dia. bears S 89 E 16 lks. dist. of  
 a Beech 20 " " " N 83 W 36 " "  
 79.90 Section Corner.

North Between Sec. 23 &amp; 24, T5 N. R1 E.

8.00 a Brook 25 lks. wide Cr. W.  
 40.00 Set the of Sec. post, from which  
 a Sugar 8 in. dia. bears S 76 E 6 lks. dist. of  
 a Cherry 5 " " " N 68 E 15 " "  
 80.00 Set a post Cor. to Sec. 13, 14, 23, 24 from which  
 a Sugar 12 in. dia. bears S 66 E 7 lks. dist. of  
 a Elm 6 " " " N 44 W 17 " "  
 Good farming land, timber same, underg<sup>d</sup>. Office

East On Random between Sec. 13 &amp; 24, T5 N. R1 E

40.00 Set temp<sup>y</sup>. of Sec. post  
 80.10 Intersected the N. & S. line 20 lks. N. of the cor.  
 Land timber &c. Same, as on the last mile

West On true line between Sec. 13 &amp; 24, T5 N. R1 E.

40.05 Set the of Sec. post at av. dist. from which  
 a Beech 24 in. dia. bears N 1 E 13 lks. dist. of  
 a Dogwood 8 " " " N 76 E 17 " "  
 80.10 to Sec. Cor.

North Between Sec. 13 & 14, T5 N. R1 E. 2<sup>d</sup>. Mer.

9.90 a Beech 20 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Beech 6 in. dia. bears N 75 W 10 lks. dist. of



T5 N R1 E 2<sup>d</sup>. Mer. Indiana

a Beech 12 in. dia. bear S 68° W 34 lbs. dist.  
 49.00 at Brook 12 lbs. wide C.P. W.  
 80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Beech 6 in. dia. bear N 85° W 10 lbs. dist. &  
 a Do 10 " " " S 1° W 26 " "  
 Land very hilly, timber the same.

---

East On Random betw. Sec. 12 & 13, T5 N. R1 E.  
 40.00 At temp. q. Sec. post  
 80.00 Intersected the N. & S. line 10 lbs. N. of the Cor.  
 Land timber &c. same as on the last mile

---

West On true line between Sec. 12 & 13, T5 N. R1 E.  
 40.00 At the q. Sec. post at a q. dist. from which  
 a Beech 20 in. dia. bear S 79° E 21 lbs. dist. &  
 a Do 10 " " " N 76° E 12 " "  
 80.00 to Sec. Cor.

---

North Between Sec. 11 & 12, T5 N. R1 E. 2<sup>d</sup>. Mer.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bear S 37° E 6 lbs. dist. &  
 a Dogwood 8 " " " S 37° W 31 " "  
 46.50 a Brook 12 lbs. wide C.P. W.  
 80.00 At a post Cor. to Sec. 1, 2, 11, 12, from which  
 an Elm 3 3/4 in. dia. bear S 73° E 6 lbs. dist. &  
 a Sugar 12 " " " S 4° E 29 " "  
 Land timber &c. same as on the last mile

---

East On Random betw. Sec. 11 & 12, T5 N. R1 E.  
 40.00 At temp. q. Sec. post  
 80.00 At temp. q. Intersected N. & S. line 5 lbs. N. of the Cor  
 Land timber &c. same as on the last mile

---

T5 N - R1 E, 2<sup>d</sup>. Mer., Indiana

West On true line betw. Sec. P. 1 & 12, T5 N, R1 E.  
 40.00 Set the q. Sec. post at av. g. dist. from which  
 a Beech 12 m. diam. bears West 8 lks. dist. &  
 a Poplar 8 " " " N 75 E 18 " "  
 80.00 to Sec. Cor.

North Between Sec. P. 1 & 2, T5 N, R1 E, 2<sup>d</sup>. Mer.  
 3.00 a Brook 30 lks. dist wide C.P. S.W.  
 19.00 a do 10 " " " S.E.  
 40.00 Set the q. Sec. post, from which  
 an Ironwood 6 m. diam. bears N 29 W 13 lks. dist. &  
 a Beech 20 " " " " S 65 W 20 " "  
 71.00 a Spring S.E.  
 79.90 Intersected N. boundary at the Cor. of Sec. P. 35 &  
 36, T6 N, R1 E.  
 Good farming land, timber the same

North Between Sec. P. 34 & 35, T5 N, R1 E.  
 0.75 a Brook 20 lks. wide C.P. —  
 20.00 Same 20 " " " S.W.  
 40.00 Set the q. Sec. post, from which  
 a Beech 10 m. diam. bears N 5 E 100 lks. dist. &  
 80.00 Set a post Cor. to Sec. P. 26, 27, 34 & 35, from which  
 a Beech 20 m. diam. bears N 10 W 30 lks. dist. &  
 a Sugar 8 " " " S 2 W 2 " "  
 Land broken, timber Beech, Sugar, Poplar &c.  
 under brush Spice &c.

East On Rand. m. betw. Sec. P. 26 & 35, T5 N, R1 E.  
 40.00 Set temp. q. Sec. post  
 44.50 a Brook 12 lks. wide C.P. S.  
 80.47 Intersected the N & S. line 20 lks. N. of the Cor.  
 Land timber &c. same as on the last mile

T5 N. R1 E. 2<sup>d</sup>. Mer. Indiana

West On true line between Sec. 26 & 35  
 40.23½ Set q<sup>r</sup>. Sec. post at av<sup>r</sup>. dist. from which  
     a Beech 6 mi. dist. bears N44 W 9 lks. dist. of  
     a Do 6 " " " N63 E 24 " "  
 80.49 to Sec. Corner.

---

North Between Sec. 26 & 27, T5 N. R1 E. 2<sup>d</sup>. Mer.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
     a W. Oak 12 mi. dist. bears N5 E 31 lks. dist. of  
     a Do 10 " " " N84 E 8 " "  
 48.00 a Brook 25 lks. west  
 80.00 Set a post Cor. to Sec. 22, 23, 26, 27, from which  
     a Beech 20 mi. dist. bears N13 W 34 lks. dist. of  
     a Do 10 " " " S6 W 8 " "  
 Land timber &c. Same as on the east mile

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 23 & 26, T5 N. R1 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 71.00 a Brook 12 lks. wide Cr. S.  
 80.20 Intersected the N & S. line 30 lks. S. of the Cor.  
 Land timber &c. Same as on the east mile

---

West on true line between Sec. 23 & 26, T5 N. R1 E.  
 40.10 Set q<sup>r</sup>. Sec. post, at av<sup>r</sup>. dist. from which  
     a Beech 10 mi. dist. bears S74 E 16 lks. dist. of  
     a Do 8 " " " N66 W 25 " "  
 80.20 to Sec. Corner.

---

North Between Sec. 22 & 23, T5 N. R1 E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
     a W. Oak, 24 mi. dist. bears N34 W 7 lks. dist. of  
     a Beech 8 " " " S42 E 19 " "  
 65.50 a Brook 20 lks. dist. wide Course W.

T5 N. R1 E. 2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Sec. 14, 15, 22, 23, from which  
 a Sugar 10 mi. dist. bear N17W 24 hrs. dist. of  
 a Beech 12 " " " N82E 18 " "  
 Land broken & hilly, timber, Beech, Sugar, Ash, Poplar &c

East On Random between Sec. 14 & 23, T5 N. R1 E.  
 28.50 a Brook 12 hrs. wide C.P. S.W.  
 40.00 Set temp. q. Sec. post  
 80.12 Intersected the N & S. line 25 hrs. N. of the Cor.  
 Land timber &c. Same as on the last mile

West On true line between Sec. 14 & 23, T5 N. R1 E.  
 40.06 Set q. Sec. post at ar. dist. from which  
 a Sugar 10 mi. dist. bear North 9 hrs. dist. of  
 a do 8 " " " S64E 14 " "  
 80.12 to Sec. Corner.

North Between Sec. 14 & 15, T5 N. R1 E. 2<sup>d</sup>. Mer.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 mi. dist. bear N35E 2 hrs. dist. of  
 an Elm 8 " " " S70W 18 " "  
 64.00 a Brook 30 hrs. wide C.P. W.  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Sugar 8 mi. dist. bear N6W 28 hrs. dist. of  
 a Beech 8 " " " S14W 23 " "  
 Land timber &c. Same as on the last mile

East On Random betw<sup>n</sup>. Sec. 11 & 14, T5 N. R1 E.  
 13.00 a Brook 18 hrs. wide C.P. S.  
 40.00 Set temp. q. Sec. post  
 80.13 Intersected the N & S. line 30 hrs. N. of the corner.  
 Land timber &c. Same as on the last mile



T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana

West On true line, between Sec. 11 & 14, T5 N. R1 E.  
 40.06 1/2 of Sec. post at av. dist. from which  
     a Sugar 8 m. dia. bear N42 E 19 lks. dist. of  
     a Do 10 " " " S66 W 22 " "  
 80.13 to Sec. Cor

---

North Between Sec. 10 & 11, T5 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 1/2 the of. Sec. post, from which  
     a Beech 20 m. dia. bear N3 E 23 lks. dist. of  
     a Do 24 " " " S20 W 7 " "  
 48.00 a Beech 20 m. dia.  
 80.00 a Beech 12 m. dia. Cor. to Sec. 2, 3, 10, 11.  
 Sand rich, some sink holes, timber the same  
 underbrush, Spice wood & leatherwood

---

East On Rand<sup>m</sup>. betw. Sec. 2 & 11, T5 N. R1 E.  
 40.00 1/2 temp. of. Sec. post  
 80.00 a Brook 13 lks. wide C.P.S.  
 80.20 Intersected the N & S. line 63 lks. N. of Corner  
 Sand timber &c. same as on the last mile

---

West On true line betw. Sec. 2 & 11, T5 N. R1 E.  
 40.10 1/2 of. Sec. post at av. dist. from which  
     a Sugar 10 m. dia. bear N59 E 18 lks. dist. of  
     a Do 10 " " " N76 E 29 " "  
 80.20 to Sec. Cor.

---

North Between Sec. 2 & 3, T5 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 1/2 the of. Sec. post, from which  
     a Beech 12 m. dia. bear N25 W 9 lks. dist. of  
     a Sugar 10 " " " S82 W 40 " "  
 78.22 Intersected the N. Bound. 23 lks. W. of the Cor.  
 Set a post Cor. to Sec. 2 & 3, from which

# T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana

a Beech 6 in. dia. bears S 59 E 6 1/4 dist. of  
a Clo 8 " " " N 38 E 8 " "  
Land timber &c. Same as on the last mile

North Between Secs. 33 & 34, T5 N. R1 E. 2<sup>nd</sup> Mer.

- 6.00 a W. Ash 20 in. dia.  
40.00 At the q. Sec. post, from which  
a Beech 18 in. dia. bears S 7 W 14 1/4 dist. of  
a Clo 12 " " " N 60 E 11 " "  
57.60 a Brook 25 lbs. wide C.P. S. W.  
65.50 a Clo 12 " " " S. W.  
75.00 Same 12 " " " S. E.  
80.00 At a post Cor. to Secs. 27, 28, 33 & 34, from which  
a Sugar 10 in. dia. bears S 5 E 37 1/2 dist. of  
a Clo 10 " " " N 24 W 9 " "  
Good farming land,

East On Random betw. Secs. 27 & 34, T5 N. R1 E

- 28.00 a Spring run at the bottom of which is something  
resembling the rust of some kind of ore 3 or 4  
inches thick  
31.00 a Brook 12 lbs. wide C.P. S.  
40.00 At temp. q. Sec. post  
80.00 Intersected the N & S. line 12 lbs. N. of the Cor.  
Land &c. Same as on the last mile

West On true line betw. Secs. 27 & 34, T5 N. R1 E

- 40.00 At the q. Sec. post at av. q. dist., from which  
a Beech 8 in. dia. bears S 88 W 55 lbs. dist. of  
a Sugar 6 " " " S 8 W 2 " "  
80.00 to Sec. Cor.

North Between Secs. 27 & 28, T5 N. R1 E. 2<sup>nd</sup> Mer.

T5 N. R1 E. 2<sup>d</sup>. Mer. Indiana

32.50 a Brook 8 lks. wide C. S. W.

38.40 a Beech 12 m. dia.

40.00 Set the q. Sec. post, from which  
a Sugar 10 m. dia. bears S 59° W 3 lks. dist. of  
a W. Oak 18 " " " S 34° W 24 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 10 m. dia. bears S 38° W 7 lks. dist. of  
a Do 12 " " " N 1 E 31 " "  
Land, timber &c. same as on the last mile

East On Randm. betw. Sec. 22 & 27, T5 N. R1 E.

40.00 Set temp. q. Sec. post

61.00 a Brook 18 lks. wide C. S.

80.00 Intersected the N & S. line 10 lks. N. of Corner  
Land timber &c. same as on the last mile

West On true line betw. Sec. 22 & 27, T5 N. R1 E.

40.00 Set q. Sec. post at ar. dist. from which  
a Dogwood 8 m. dia. bears N 87° E 39 lks. dist. of  
a Beech 10 " " " S 64° W 18 " "

80.00 to Sec. Cor.

North Between Sec. 21 & 22, T5 N. R1 E. 2<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which  
a Beech 7 m. dia. bears N 10° W 25 lks. dist. of  
a Do 10 " " " N 43° W 19 " "

70.50 a Beech 12 " "

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 12 m. dia. bears N 45° W 23 lks. dist. of  
a Sugar 12 " " " N 66° E 20 " "  
Land timber &c. same as on the last mile

East On Randm. betw. Sec. 15 & 22, T5 N. R1 E.

T5N R1E 2<sup>nd</sup> Mer. Indiana

- 40.00 Let temp<sup>y</sup>. q. Sec. post,  
 80.00 Intersected the N. & S. line 20 lbs. N. of the Cor.  
 Land timber &c. same as on the last mile

- West On true line between Sec<sup>s</sup>. 15 & 22, T5N. R1E.  
 40.00 Let q. Sec. post at ar<sup>y</sup>. dist. from which  
 a Beech 6 m. dist. bear S35 E 14 lbs. dist. &  
 a Sugar 12 " " " S86 W 23 " "  
 80.00 to Sec. Corner.

- North Between Sec<sup>s</sup>. 15 & 16, T5N. R1E. 2<sup>nd</sup> Mer.  
 39.75 a Brook 40 lbs. wide C. & W.  
 40.00 Let the q. Sec. post. from which  
 a Gum 8 m. dist. bear S9 W 30 lbs. dist  
 no other near.  
 62.70 an Ash 12 m. dist.  
 80.00 Let a post Cor. to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
 a Beech 20 m. dist. bear S20 E 19 lbs. dist &  
 a Sugar 5 " " " S54 W 7 " "  
 Land timber &c. same as on the last mile  
 under g<sup>th</sup>. Spice wood.

- East On Rand. betw<sup>n</sup>. Sec<sup>s</sup>. 10 & 15, T5N. R1E.  
 35.00 a Spring run C. & S.  
 40.00 Let temp<sup>y</sup>. q. Sec. post  
 80.20 Intersected the N. & S. line 25 lbs. N. of the Cor.  
 Land, timber &c. same as on the last mile

- West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 10 & 15, T5N. R1E.  
 40.10 Let q. Sec. post at ar<sup>y</sup>. dist. from which  
 a Beech 12 m. dist. bear S78 E 15 lbs. dist. &  
 a Ho 24 " " " N83 W 21 " "  
 80.20 to Section Corner.



T5 N. R1 E. 2<sup>d</sup>. Mer. IndianaNorth Between Sec. 9 & 10, T5 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which  
 a Beech 20 m. dist. bear S10 W 48 lks. dist. of  
 a Do 30 " " " S15 E 34 " "

77.00 an Elm 15 " "

80.00 At a post Cor. to Sec. 3, 4, 9, 10, from which  
 a Sugar 18 m. dist. bear S10 E 18 lks. dist. of  
 a Do 10 " " " S30 E 16 " "

Land &c. Same, Spruce undergrowth. very thick

East On Land<sup>m</sup>. between Sec. 3 & 10, T5 N. R1 E.

40.00 At temp<sup>y</sup>. q. Sec. post

80.00 Intersected the N & S. line 23 lks. S. of the Cor.  
 Land, timber &c. same as on the last mile

West On true line between Sec. 3 &amp; 10, T5 N. R1 E.

40.00 At q. Sec. post at av. dist. from which  
 a Sugar 10 m. dist. bear S12 E 5 lks. dist. of  
 a Do — " " " S84 E 28 " "

80.00 to Sec. Cor.

North Between Sec. 3 & 4, T5 N. R1 E. 2<sup>d</sup>. Mer.

10.00 a Brook 23 lks. wide C.P. W.

25.00 a Do 8 " " " W.

40.00 At the q. Sec. post from which  
 a Beech 10 m. dist. bear S17 W 34 lks. dist. of  
 no other near.

74.50 a Brook 35 lks. wide C.P. S.W.

77.72 Intersected the N. boundary 45 lks. N. of corner.

At a post, Cor. to Sec. 3 & 4, from which  
 a Sugar 10 m. dist. bear N63 E 22 lks. dist. of  
 a Do 12 " " " S24 E 32

Land, rolling, timber same as on last mile

# T5 N R1 E. 2<sup>d</sup>. Mer. Indiana

North Between Sec. 32 & 33, T5 N. R1 E.

29.50 a W. Oak 12 in. diam.

40.00 Set the q. Sec. post, from which  
a Beech 10 in. diam. bears N 5 W 11 lks. dist. &  
an Ash 20 " " " N 85 W 32 " "

75.00 a Brook 12 lks. Wide Cr. S. E.

80.00 Set a post Cor. to Sec. 32 & 33, 28 & 29, from which  
a W. Oak 12 in. diam. bears N 5 W 10 lks. dist. &  
a Ironwood 6 " " " N 46 E 9 " "  
Sand hilly timber Beech.

East On Random between Sec. 28 & 33, T5 N. R1 E.

39.00 a Brook 20 lks. wide Cr. S.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 10 lks. S. of the Cor.  
Land, timber &c. same as on the last mile

West On true line between Sec. 28 & 33, T5 N. R1 E.

40.00 Set q. Sec. post, at av. dist. from which  
a Beech 10 in. diam. bears N 79 W 30 lks. dist. &  
a Do 10 " " " N 34 E 9 " "  
80.00 to Sec. Cor.

North Between Sec. 28 & 29, T5 N. R1 E. 2<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which  
a Beech 10 in. diam. bears N 63 W 5 lks. dist. &  
a Do 6 " " " N 4 W 20 " "

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which  
a Beech 8 in. diam. bears North 6 lks. dist. &  
a Do — " " " N 6 E 46 " "  
Land timber &c. same as on the last mile.

East On Random between Sec. 21 & 28, T5 N. R1 E.

40.00 Set temp. q. Sec. post

T5 N R1 E 2<sup>nd</sup> Mer. Indiana

80.00 Intersected the N & S. line 10 hrs. S. of the Cor.  
Sand timber &c. Same as on the last mile

---

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 21 & 28, T5 N. R1 E.

40.00 Set q. Sec. post at ar<sup>d</sup>. dist. from which  
a Sugar 10 in. diam. bears N 84 E 29 hrs. dist. of  
a Beech 20 " " " N 65 E 29 " "

80.00 Show Corner

---

North Between Sec<sup>s</sup>. 20 & 21, T5 N. R1 E. 2<sup>nd</sup> Mer.

40.00 Set the q. Sec. post, from which  
a Beech 8 in. diam. bears N 25 W 16 hrs. dist. of  
an Elm — " " " N 25 E 29 " "

54.90 a W. Oak 24 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 16, 17, 20 & 21, from which  
a Beech 6 in. diam. bears S 3 E 15 hrs. dist. of  
a Do 20 " " " N 22 E 32 " "  
Sand, timber &c. Same as on the last mile

---

East On Random between Sec<sup>s</sup>. 16 & 21, T5 N. R1 E.

40.00 Set temp<sup>y</sup>. q. Sec. post

79.85 Intersected the N & S. line 20 hrs. S. of the Cor  
Sand, timber &c. Same as on the last mile

---

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 16 & 21, T5 N. R1 E.

39.92½ Set q. Sec. post at ar<sup>d</sup>. dist on true line from which  
a Beech 24 in. diam. bears S 68 W 28 hrs. dist. of  
a Do 6 " " " N 41 E 15 " "

79.85 to Sec. Cor.

---

North Between Sec<sup>s</sup>. 16 & 17, T5 N. R1 E. 2<sup>nd</sup> Mer.

31.00 a Brook 10 hrs. wide Cr. W.

40.00 Set the q. Sec. post, from which

T5 N - R1 E, 2<sup>nd</sup> Mer. Indiana

- a Beech 6 in. dia. bear S 28 W 28 lks. dist. of  
 a Do 12 " " " N 36 W 18 " "
- 62.00 a Brook 22 lks. wide Cr. M.
- 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Sugar 12 in. dia. bear S 5 E 43 lks. dist. of  
 a W. Oak 20 " " " S 9 W 30 " "  
 Land rich & bushy. underbrush Spice
- 
- East On Random betw. Sec. 8 & 16, T5 N, R1 E.  
 40.00 Set temp. of Sec. post  
 79.80 Intersected the N & S. line 25 lks. S. of the Cor.  
 Land timber &c. same as on the last mile
- 
- West On true line between Sec. 8 & 16, T5 N, R1 E  
 39.90 Set of Sec. post at av. dist. from which  
 a Sugar 8 in. dia. bear N 83 E 12 lks. dist. of  
 a Beech 20 " " " N 43 W 24 " "  
 79.80 to Sec. Cor.
- 
- North Between Sec. 8 & 9, T5 N, R1 E, 2<sup>nd</sup> Mer.  
 31.15 a Beech 20 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Beech 20 in. dia. bear S 73 W 5 lks. dist. of  
 a Do 12 " " " S 25 W 23 " "  
 74.09 a Brook 10 lks. wide Cr. M.  
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a W. Oak 6 in. dia. bear S 18 W 9 lks. dist. of  
 an Ironwood 4 " " " N 1 W 11 " "  
 Land timber &c. same as on the last mile
- 
- East On Random between Sec. 4 & 9, T5 N, R1 E.  
 24.00 a Brook 10 lks. wide Cr. S.  
 40.00 Set temp. of Sec. post.



T5 N - R1 E, 2<sup>nd</sup> Mer. Indiana

79.80 Intersected the N & S. line 36 lks. S. of the cor.  
Land timber &c. Same. as on the last mile

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 4 & 9, T5 N, R1 E.  
39.90 Set of. Sec. post at adj. dist. from which  
a Sugar 10 in. dia<sup>r</sup>. bear N 46 W 18 lks. dist<sup>y</sup>  
a Walnut 6 " " " S 73 E 19 " "  
79.80 to Sec. Cor.

North Between Sec<sup>s</sup>. 4 & 5, T5 N, R1 E, 2<sup>nd</sup> Mer.  
13.00 a Brook 25 lks. wide Course S.W.  
34.25 a Sugar 18 in. dia<sup>r</sup>.  
40.00 Set the of. Sec. post, from which  
a Sugar 6 in. dia<sup>r</sup>. bear S 13 W 7 lks. dist<sup>y</sup>  
a Beech 24 " " " S 14 E 15 " "  
78.50 Intersected the N. boundary at the Corner  
Land timber &c. the same as on the last mile

North Between Sec<sup>s</sup>. 31 & 32, T5 N, R1 E, 2<sup>nd</sup> Mer.  
1.00 a Spring Cr. S.W.  
40.00 Set a post Cor. to Sec<sup>s</sup>. from which  
a Beech 12 in. dia<sup>r</sup>. bear S 12 E 21 lks. dist<sup>y</sup>  
a Co 12 " " " N 85 W 28 " "  
80.00 Set a post Cor. to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
a Beech 6 in. dia<sup>r</sup>. bear N 32 W 19 lks. dist<sup>y</sup>  
a W. Oak 20 " " " S 54 E 21 " "  
Land rich Beech, Sugar, Ash, Poplar, and g<sup>th</sup>  
Species &c.

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 29 & 32, T5 N, R1 E.  
40.00 Set temp<sup>y</sup>. of. Sec. post  
78.00 a Brook 12 lks. wide Cr. S.E.  
79.83 Intersected the N & S. line 10 lks. S. of the Cor.

147

T5 N. R1 E. 2<sup>n</sup>. Mer. Indiana

Land timber &c. same as on the last mile

---

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 29 & 32, T5 N. R1 E.  
 39.9<sup>1</sup>/<sub>2</sub> Set of. Sec. post at asy. dist. from which  
 a Beech 10 mi. dist. bear S46<sup>1</sup>/<sub>2</sub> W13<sup>1</sup>/<sub>2</sub> lbs. dist. of  
 a W. Oak 10 " " " S46 E11 " "  
 79.8<sup>3</sup>/<sub>4</sub> Sec. Cor.

---

North Between Sec<sup>s</sup>. 29 & 30, T5 N. R1 E.  
 40.00 Set the of. Sec. post, from which  
 a Dogwood 6 mi. dist. bear N5<sup>1</sup>/<sub>2</sub> W. 20 lbs. dist.  
 a Beech 9 " " " S68<sup>1</sup>/<sub>2</sub> W17 " "  
 76.00 a W. Ash 20 " "  
 80.00 Set a post Cor. to Sec<sup>s</sup>. 19, 20, 29 & 30, from which  
 a Beech 6 mi. dist. bear N29 E11 lbs. dist. of  
 a Do 6 " " " S67<sup>1</sup>/<sub>2</sub> W13 " "  
 Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 20 & 29, T5 N. R1 E.  
 40.00 a Brook 6 lbs. wide C.P. St. & Set. post. temp<sup>y</sup>.  
 80.00 Intersected the N & S. line 8 lbs. S. of the Cor.  
 Land, timber &c. same as on the last mile

---

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 20 & 29, T5 N. R1 E.  
 40.00 Set of. Sec. post at asy. dist. from which  
 a Beech 10 mi. dist. bear S88 E35 lbs. dist. of  
 a Do 10 " " " S71<sup>1</sup>/<sub>2</sub> W14 " "  
 80.00 to Sec. Corner.

---

North Between Sec<sup>s</sup>. 19 & 20, T5 N. R1 E. 2<sup>n</sup>. Mer.  
 26.00 a Brook 10 lbs. wide C.P. W.  
 40.00 Set the of. Sec. post, from which  
 a Sugar 12 mi. dist. bear N13 E12 lbs. dist. of

T5 N. R1 E. 2<sup>d</sup> Mer. Indiana

a Beech 12 m. diam. bear N41 E 11 lks. dist. of  
 54.00 a Beech 20 in. diam.  
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Beech 20 m. diam. bear N53 W 9 lks. dist. of  
 a Sugar 10 " " " S5 W 10 " "  
 Sand timber &c. Same as on the last mile

---

East On Random betw. Sec. 17 & 20, T5 N. R1 E.  
 40.00 Set temp. q. Sec. post  
 80.09 Intersected the N. & S. line 5 lks. S. of the Cor.  
 Sand timber &c. Same as on the last mile

---

West On true line betw. Sec. 17 & 20, T5 N. R1 E.  
 40.04 1/2 Set q. Sec. post at arf. dist. from which  
 a Beech 10 m. diam. bear N40 E 3 lks. dist. of  
 a Do 10 " " " S53 W 6 " "  
 80.09 to Sec. Cor.

---

North Between Sec. 17 & 18, T5 N. R1 E. 2<sup>d</sup> Mer.  
 40.00 Set the q. Sec. post, from which  
 a Buckeye 12 m. diam. bear N7 E 27 lks. dist. of  
 an Ash 24 " " " N28 W 14 " "  
 79.00 a Brook 25 lks. wide E. of.  
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 10 m. diam. bear N26 W 19 lks. dist. of  
 a Do 20 " " " S10 W 27 " "  
 Sand timber &c. Same as on the last mile

---

East On Random betw. Sec. 8 & 17, T5 N. R1 E.  
 40.00 Set temp. q. Sec. post at arf. dist.  
 79.75 Intersected the N. & S. line 8 lks. S. of the Cor.  
 Sand &c. Same underbrush Spice.

---

T5 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

Nest On true line between Sec. 8 & 17, T5 N. R1 E.  
 39.75 Set of. Sec. post at arf. dist. from which  
 a Beech 10 in. diam. beam N85 E 18 lks. dist. of  
 a Walnut 8 " " " N45 E 9 " "  
 79.75 to Sec. Cor.

North Between Sec. 7 & 8, T5 N. R1 E. 2<sup>nd</sup>. Mer.  
 5.00 at Brook 25 lks. wide C.P. W.  
 40.00 Set the of. Sec. post, from which  
 a Hackberry 20 in. diam. beam N19 E 19 lks. dist. of  
 a Sugar 12 " " " S 9 E 11 " "  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, T5 N. R1 E.  
 a Sugar 12 in. diam. beam N18 W 32 lks. dist. of  
 a Beech 8 " " " N54 E 23 " "  
 Land timber &c. same as on the last mile

East on Random between Sec. 5 & 8, T5 N. R1 E.  
 40.00 Set temp. of. Sec. post  
 73.60 at Brook 20 lks. wide C.P. S.  
 80.00 Intersected the N & S. line 15 lks. S. of the Cor.  
 Land timber &c. same as on the last mile

Nest on true line betw. Sec. 5 & 8, T5 N. R1 E.  
 40.00 Set of. Sec. post at arf. dist. from which  
 a Sugar 10 in. diam. beam N66 E 11 lks. dist. of  
 an Elm 10 " " " S 54 W 7 " "  
 80.00 Section Corner.

North Between Sec. 5 & 6, T5 N. R1 E.  
 32.00 a Beech 20 in. diam.  
 40.00 Set the of. Sec. post, from which  
 a Beech 6 in. diam. beam N64 W 20 lks. dist. of  
 a do 6 " " " S 24 W 30 " "



T5 N. R1 E. 2<sup>nd</sup> Mer. Indiana

78.75 Intersected the N. boundary at the Corner.  
Sand timber &c. Same as on the last mile

West Between Secs. 6 & 7, T5 N. R1 E.

40.00 At the q. Sec. post, from which  
a Hickory 12 in. diam. bears West 2 lks. dist.  
no other trees " "

77.00 a Beech 12 in. diam.

87.15 Intersected the 2<sup>nd</sup> Meridian 125 lks. N. of post.  
At a post Cor. to Secs. 6 & 7, from which  
a Walnut 6 in. diam. bears S 86 E 17 lks. dist. of  
an Elm 20 " " " S 34 E 19 " "  
Land rich, under brush. Spruce

West Between Secs. 7 & 18, T5 N. R1 E. 2<sup>nd</sup> Mer.

24.00 a Brook 25 lks. wide E. & S.

40.00 At the q. Sec. post, from which  
a Beech 6 in. diam. bears N 63 E 15 lks. dist. of  
a Hackberry " " " N 75 E 22 " "

88.85 Intersected the 2<sup>nd</sup> Meridian 111 lks. N. of post  
At a post Cor. to Secs. 7 & 18, from which  
a Beech 7 in. diam. bears N 20 E 25 lks. dist. of  
a do 10 " " " S 25 E 32 " "

Sand timber &c. Same as on the last mile

West Between Secs. 18 & 19, T5 N. R1 E. 2<sup>nd</sup> Mer.

40.00 At q. Sec. post, from which  
a Beech 12 in. diam. bears S 87 W 55 lks. dist. of  
a W. Oak 20 " " " S 70 W 37 " "

62.00 a Brook 30 lks. wide E. & S.

88.00 a W. ash 20 in. diam.

90.75 Intersected the 2<sup>nd</sup> Meridian 90 lks. N. of Corner.  
At a post Cor. to Secs. 18 & 19, from which

T5 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Beech 10 m. dist. bear N 25 E 13 lks. dist. of  
a W. Oak 20 " " " N 74 E 15 " "  
Land rich, timber same under brush same

West Between Secs. 19 & 30, T5 N. R1 E. 2<sup>d</sup>. Mer.  
34.15 a Sugar 10 m. dist.

40.00 At the q. Sec. post, from which  
a Blue Ash 20 m. dist. bear S 65 E 6 lks. dist. of  
a Do 8 " " " N 71 E 20 " "

92.07 Intersected the 2<sup>d</sup>. Meridian 73 lks. S. of Cor.  
Set a post Cor. to Secs. 19 & 30, from which  
a Beech 12 m. dist. bear S 37 W 7 lks. dist. of  
a Hackberry 6 " " " N 72 E 23 " "  
Land timber &c. same as on the last mile

West Between Secs. 30 & 31, T5 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which  
a Beech 10 m. dist. bear S 86 W 76 lks. dist. of  
a Do 8 " " " N 86 W 81 " "

93.80 Intersected the W. boundy. 20 lks. S. of the cor.  
Set a post Cor. to Secs. 30 & 31, from which  
a Beech 10 m. dist. bear S 18 E 15 lks. dist. of  
a Do 6 " " " S 66 W 15 " "  
Land, timber &c. same as on the last mile  
Surveyed (sometime in 1811) by Arthur Annie, D. S.

T5N R1E.2<sup>nd</sup> Mer. Indiana

I certify that the foregoing transcript of field notes  
of Township N<sup>o</sup> 5 N - Range N<sup>o</sup> 1 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
has been Comp<sup>d</sup> with the original notes in this office,  
and found to be correct.

Surveyor General's Office  
Cincin. <sup>to</sup> Dec. 15<sup>th</sup>, 1840 }

E. J. Cairnes  
Sur. Genl.